

JOB NUMBER: VRH014

LAB ID: VRH11-002

October 05, 2011

AURIC RESOURCES INTL. INC.
ATTN: William Berridge
1020 W. Wickenburg Way, Ste E-9
Wickenburg AZ 85390-3290
USA

FROM: 0663
TO: 0680

CERTIFICATE OF ANALYSIS - Final Report


Analysis Of 18 Rock Chip Samples

The following analytical packages were requested.
Please see our current fee schedule for elements and detection limits

ANALYSIS BY SKYLINE LABORATORIES / TUCSON

FA-01 Au Fire Assay - AAS
TE-3 49 Elements - Aqua Regia Digestion (ICP/MS)

This report may be reproduced without our consent. If only selected portions of the report are reproduced, permission must be obtained. If no instructions were given at time of sample submittal, excess material will be returned, or disposed of, at clients expense within 90 days of this report. Our liability is limited solely to the analytical cost of these analyses. Test results are representative only of material submitted for analysis.



Bernie Dunn
Expires 6/30/2013

CERTIFIED BY : Bernie Dunn



ANALYSIS CERTIFICATE
VRH014
 05-Oct-11

Client: AURIC RESOURCES INTL. INC.

Project:

Rock Chip

Sample type(s):

Submitted by: Mr. William Berridge

RESULTS

Analyte Units Limit	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Cu ppm	Fe %	Ga ppm
1 0663	259	0.2	0.16	1.6	20	<1	0.8	0.02	0.1	17	10.0	323	0.3	22.8	1.68	1
2 0664	1065	0.4	0.20	1.5	376	<1	3.5	0.03	0.2	20	30.6	311	0.4	49.3	0.78	1
3 0665	1692	1.0	0.34	1.2	32	<1	3.1	0.05	<0.1	42	5.8	398	0.7	48.3	1.88	2
4 0666	> 3000	0.7	0.17	3.2	75	<1	5.3	0.02	0.2	5	38.3	458	0.7	5.0	4.09	<1
5 0667	90	0.2	3.27	6.2	134	3	0.2	0.91	0.2	22	42.0	328	3.5	28.7	6.45	11
6 0668	< 5	<0.1	0.59	1.0	67	<1	<0.1	0.24	<0.1	87	3.8	268	4.1	6.3	1.26	3
7 0669	< 5	<0.1	0.05	<0.5	6	<1	1.8	<0.01	<0.1	1	1.1	447	0.2	2.2	0.38	<1
8 0670	6	<0.1	<0.01	<0.5	2	<1	<0.1	<0.01	<0.1	<1	0.8	401	<0.1	1.1	0.31	<1
9 0671	113	<0.1	0.92	2.6	269	<1	0.1	24.50	0.3	6	15.8	104	8.4	13.5	2.31	3
10 0672	24	<0.1	2.66	2.0	164	<1	<0.1	17.10	0.1	7	46.2	408	1.3	51.7	4.69	8
11 0673	< 5	<0.1	0.16	<0.5	29	<1	<0.1	0.22	<0.1	10	1.2	377	0.4	3.7	0.50	<1
12 0674	< 5	<0.1	0.11	<0.5	11	<1	0.5	0.17	<0.1	13	1.3	415	0.3	1.9	0.43	<1
13 0675	< 5	<0.1	0.29	1.0	23	1	<0.1	1.79	<0.1	22	1.9	194	1.6	9.7	0.62	1
14 0676	128	<0.1	1.48	22.6	853	4	3.3	0.95	0.5	93	164.0	189	2.9	54.8	6.38	6
15 0677	> 3000	0.3	0.22	<0.5	50	<1	4.9	0.02	<0.1	40	6.2	230	0.1	2.2	3.75	2
16 0678	7	0.1	0.06	<0.5	9	<1	<0.1	<0.01	<0.1	3	1.9	423	<0.1	2.0	0.40	<1
17 0679	299	0.3	0.13	<0.5	27	<1	1.0	<0.01	<0.1	25	2.2	345	<0.1	11.6	1.08	<1
18 0680	< 5	0.2	0.12	2.4	25	2	3.7	0.02	<0.1	16	13.9	434	0.1	3.4	11.30	13

1775 W Sahuaro Drive, Tucson, AZ 85745
 William L. Lehmbeck
 Arizona Registered Assayer No. 9425
 tucson@skylinelab.com

P.O. Box 85670, Tucson, AZ 85745
 Bernard J. Dunn
 Arizona Registered Assayer No. 36447
 http://www.skylinelab.com

Tel: (520) 622-4836
 James A. Martin
 Arizona Registered Assayer No. 11122

Fax: (520) 622-6065



ANALYSIS CERTIFICATE
VRH014
05-Oct-11

Client: AURIC RESOURCES INTL. INC.
Project: Rock Chip
Sample type(s):
Submitted by: Mr. William Berridge

RESULTS

	Analyte	Units	Limit	Package Code	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb	Rb
					ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
					TE-3	TE-3	TE-3	TE-3	TE-3	TE-3	TE-3	TE-3	TE-3	TE-3	TE-3	TE-3	TE-3	TE-3	TE-3	TE-3
1	0663				< 0.1	< 0.1	0.041	< 0.01	0.10	10	1.4	0.02	207	2.1	0.03	1.8	6.3	0.012	148.0	8.0
2	0664				< 0.1	< 0.1	0.171	0.02	0.04	14	1.9	0.04	1920	5.4	0.02	0.2	11.0	0.010	232.0	2.7
3	0665				< 0.1	0.1	0.055	0.03	0.09	22	1.8	0.05	204	4.5	0.04	0.3	7.7	0.019	229.0	6.1
4	0666				< 0.1	< 0.1	0.011	< 0.01	0.10	3	4.7	0.13	901	4.2	< 0.01	< 0.1	61.4	0.020	6.8	9.9
5	0667				< 0.1	< 0.1	0.102	0.03	0.35	24	71.5	2.65	1060	3.5	0.09	< 0.1	224.0	0.111	18.0	30.0
6	0668				< 0.1	0.2	0.041	0.01	0.25	40	12.2	0.19	436	0.6	0.04	0.4	8.3	0.075	14.9	28.9
7	0669				< 0.1	< 0.1	0.027	< 0.01	0.03	< 1	0.5	< 0.01	106	0.5	0.02	2.2	4.1	0.005	4.5	2.6
8	0670				< 0.1	< 0.1	0.049	< 0.01	0.02	< 1	0.1	< 0.01	27	0.7	< 0.01	0.1	4.1	0.002	3.3	0.8
9	0671				< 0.1	< 0.1	0.091	0.02	0.59	5	36.0	1.14	1210	0.9	0.02	0.1	60.9	0.061	4.4	47.1
10	0672				< 0.1	< 0.1	0.095	0.02	0.19	3	55.4	3.38	1340	0.6	0.02	< 0.1	267.0	0.095	4.8	14.3
11	0673				< 0.1	< 0.1	0.026	< 0.01	0.06	5	1.8	0.02	88	0.6	0.02	0.2	4.0	0.013	10.2	4.4
12	0674				< 0.1	< 0.1	0.025	< 0.01	0.07	6	3.2	0.03	73	1.5	0.02	0.9	5.9	0.012	3.0	5.9
13	0675				< 0.1	< 0.1	0.054	< 0.01	0.12	13	10.4	0.30	94	1.4	1.34	1.0	8.1	0.043	5.0	16.1
14	0676				< 0.1	< 0.1	0.118	0.02	0.28	32	29.9	0.99	> 10000	21.0	0.16	0.2	416.0	0.149	21.7	23.2
15	0677				< 0.1	0.1	0.085	< 0.01	0.20	27	1.1	0.02	52	3.4	0.06	0.1	7.0	0.035	10.7	5.6
16	0678				< 0.1	< 0.1	0.034	< 0.01	0.04	2	0.7	0.01	120	0.5	0.02	0.3	8.6	0.010	3.1	2.6
17	0679				< 0.1	< 0.1	0.073	< 0.01	0.08	13	0.3	< 0.01	25	4.4	0.04	0.2	4.1	0.020	29.2	3.3
18	0680				< 0.1	< 0.1	0.075	0.02	0.05	7	1.7	0.02	404	7.4	0.01	0.6	24.9	0.036	3.7	3.3

1775 W Sahuaro Drive, Tucson, AZ 85745
William L. Lehmbeck
Arizona Registered Assayer No. 9425
tucson@skylinelab.com

P.O. Box 85670, Tucson, AZ 85745
Bernard J. Dunn
Arizona Registered Assayer No. 36447
http://www.skylinelab.com

Tel: (520) 622-4836
James A. Martin
Arizona Registered Assayer No. 11122

Fax: (520) 622-6065



ANALYSIS CERTIFICATE
VRH014
 05-Oct-11

Client: AURIC RESOURCES INTL. INC.
 Project: Rock Chip
 Sample type(s): Mr. William Berridge
 Submitted by:

RESULTS

Package Code	Analyte Units Limit	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W	Y
		ppb	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
1 0663		< 5	< 0.05	0.3	0.4	< 0.5	1.7	1	< 0.1	0.8	6.5	< 0.005	< 0.1	8.0	5	0.6	8.0
2 0664		< 5	0.05	0.2	0.6	< 0.5	0.1	5	< 0.1	2.0	5.3	< 0.005	< 0.1	3.1	28	0.5	9.9
3 0665		< 5	0.08	0.3	1.3	1.9	< 0.1	30	< 0.1	4.4	14.3	< 0.005	< 0.1	9.8	11	0.3	17.8
4 0666		< 5	0.12	0.1	1.7	1.7	< 0.1	6	< 0.1	4.3	0.3	0.010	0.1	7.3	28	1.8	2.8
5 0667		< 5	0.10	0.3	13.8	< 0.5	< 0.1	36	< 0.1	0.2	1.7	0.030	0.2	3.5	111	0.1	9.9
6 0668		< 5	0.07	0.2	1.8	1.0	< 0.1	12	< 0.1	< 0.1	21.7	0.014	0.2	3.3	7	0.4	16.6
7 0669		< 5	< 0.05	< 0.1	0.1	2.6	< 0.1	< 1	< 0.1	0.2	1.1	< 0.005	< 0.1	3.5	< 2	< 0.1	3.6
8 0670		< 5	< 0.05	< 0.1	< 0.1	0.7	< 0.1	< 1	< 0.1	0.2	0.2	< 0.005	< 0.1	< 0.1	< 2	< 0.1	0.8
9 0671		< 5	0.33	0.1	7.7	1.9	< 0.1	183	< 0.1	0.3	0.3	0.086	0.5	6.2	52	0.3	6.9
10 0672		< 5	0.33	< 0.1	11.9	< 0.5	< 0.1	150	< 0.1	0.2	0.2	0.022	0.1	2.0	104	< 0.1	4.8
11 0673		< 5	0.22	< 0.1	0.7	1.1	< 0.1	3	< 0.1	< 0.1	3.9	< 0.005	< 0.1	1.2	< 2	< 0.1	7.6
12 0674		< 5	0.13	< 0.1	0.6	1.5	< 0.1	< 1	< 0.1	0.1	6.9	< 0.005	< 0.1	0.6	< 2	< 0.1	2.4
13 0675		< 5	0.28	< 0.1	0.9	1.8	< 0.1	49	< 0.1	0.2	7.5	0.019	0.1	1.6	10	< 0.1	17.0
14 0676		< 5	0.20	0.4	5.8	2.2	< 0.1	72	< 0.1	3.9	7.0	0.035	0.5	8.4	143	1.1	21.1
15 0677		< 5	0.41	< 0.1	0.5	2.0	< 0.1	46	< 0.1	2.3	16.6	< 0.005	< 0.1	8.4	< 2	< 0.1	3.2
16 0678		< 5	0.17	< 0.1	0.2	1.6	< 0.1	< 1	< 0.1	0.3	1.0	< 0.005	< 0.1	0.3	< 2	< 0.1	1.3
17 0679		< 5	0.24	< 0.1	0.5	2.2	< 0.1	22	< 0.1	0.8	10.5	< 0.005	< 0.1	5.0	< 2	< 0.1	10.8
18 0680		< 5	0.19	0.2	0.9	2.0	< 0.1	2	< 0.1	1.2	2.2	0.032	< 0.1	31.8	86	1.5	3.6

1775 W Sahuaro Drive, Tucson, AZ 85745
 William L. Lehmbek
 Arizona Registered Assayer No. 9425
 tucson@skylinelab.com

P.O. Box 85670, Tucson, AZ 85745
 Bernard J. Dunn
 Arizona Registered Assayer No. 36447
 http://www.skylinelab.com

Tel: (520) 622-4836
 James A. Martin
 Arizona Registered Assayer No. 11122

Fax: (520) 622-6065



ANALYSIS CERTIFICATE
VRH014
 05-Oct-11

Client: AURIC RESOURCES INTL. INC.
 Project: Rock Chip
 Sample type(s): Mr. William Berridge
 Submitted by:

RESULTS

Package Code	Analyte Units Limit	Zn		Zr	
		ppm	TE-3	ppm	TE-3
1	0663	11	1.1	1.1	1.1
2	0664	11	2.6	2.6	2.6
3	0665	11	4.8	4.8	4.8
4	0666	10	1.2	1.2	1.2
5	0667	142	1.9	1.9	1.9
6	0668	28	7.9	7.9	7.9
7	0669	4	1.0	1.0	1.0
8	0670	2	0.5	0.5	0.5
9	0671	60	1.5	1.5	1.5
10	0672	90	0.6	0.6	0.6
11	0673	6	0.7	0.7	0.7
12	0674	4	0.4	0.4	0.4
13	0675	15	2.6	2.6	2.6
14	0676	47	7.6	7.6	7.6
15	0677	7	3.8	3.8	3.8
16	0678	2	1.1	1.1	1.1
17	0679	2	2.8	2.8	2.8
18	0680	20	1.4	1.4	1.4

1775 W Sahuaro Drive, Tucson, AZ 85745
 William L. Lehmbek
 Arizona Registered Assayer No. 9425
 tucson@skylinelab.com

P.O. Box 85670, Tucson, AZ 85745
 Bernard J. Dunn
 Arizona Registered Assayer No. 36447
 http://www.skylinelab.com

85670, Tucson, AZ 85745
 James A. Martin
 Arizona Registered Assayer No. 11122
 Fax: (520) 622-4836
 Tel: (520) 622-4836



ANALYSIS CERTIFICATE
VRH014
 05-Oct-11

Client: AURIC RESOURCES INTL. INC.
 Project: Rock Chip
 Sample type(s): Mr. William Berridge
 Submitted by:

QUALITY CONTROL

Analyte	Units	Limit	Package Code
Au	ppb	5	FA-01
CDN-CGS-15 meas			626
CDN-CGS-15 cert			570
0663 orig			259
0663 dup			283
0680 orig			< 5
0680 dup			< 5

ANALYSIS METHODS

Method Code	Description
FA-AAS	Fire Assay - AAS, SOP 410
AR-ICPMS	Aqua Regia Digestion - ICP-MS

1775 W Sahuaro Drive, Tucson, AZ 85745
 William L Lehmbek
 Arizona Registered Assayer No. 9425
 tucson@skylinelab.com

P. O. Box 85670, Tucson, AZ 85745
 Bernard J Dunn
 Arizona Registered Assayer No. 36447

1775 W Sahuaro Drive, Tucson, AZ 85745
 James A Martin
 Arizona Registered Assayer No. 11122
 http://www.skylinelab.com